



Atlas Copco



PRO Random Orbital Sanders G2438 series

Precise and efficient sanding for fine surfaces

PRO Random Orbital Sanders

Self Suction Models

G2438-6.3I

G2438-6.5I

G2438-6.10I



Central Suction Models

G2438-6.3C

G2438-6.5C

G2438-6.10C



No Suction Models

G2438-6.3N

G2438-6.5N

G2438-6.10N



Perfect for all maintenance repair operation applications



Car painters
& repairs



Plastic boat
builders



Plastic
fabrication



Windmills



Rail MRO



General MRO

The PRO Pneumatic Random Orbital Sanders G2438 series are ideal hand-held tools for orbital sanding when surface finish is of high demand. These orbital sanders are robust, durable and compact, with composite housing and high-quality bearings. The tools' durable aluminium housing and hardened steel parts prolong the sander life and reduce vibration. With three different orbital diameters and different dust suction solutions, the range essentially covers every need.



Good power-to-weight ratio

Robust composite housing

Built-in speed regulator for optimal speed

Featuring new Kevlar vanes for 10 times better performance

Wide range of optional pads available

Benefits



Lubrication free



Well balanced for smooth handling



Well balanced for reduced vibration handling



Excellent at removing material

PRO Random Orbital Sanders

Model Name	Max Free Speed r/min	Max Output W (hp)	Max Pad Dia mm (in)	Orbit Dia mm (in)	Spindle Thread	Weight Kg (lb)	Air Consumption At Free Speed l/s (cfm)	Rec Hose Size mm (in)	Air Inlet Thread Size BSP (NPT)	Extraction Type	Part Number
Random Orbital Sanders - velcro pad included:											
G2438-6.3N	12000	160 (0.21)	150 (6)	2.5 (3/32")	UNF 5/16"	0.9 (1.9)	9 (19.1)	10 (3/8")	1/4"	No Suction	8423 0313 10
G2438-6.5N	12000	160 (0.21)	150 (6)	5 (3/16")	UNF 5/16"	0.9 (1.9)	9 (19.1)	10 (3/8")	1/4"	No Suction	8423 0313 05
G2438-6.10N	12000	160 (0.21)	150 (6)	10 (3/8")	UNF 5/16"	0.9 (1.9)	9 (19.1)	10 (3/8")	1/4"	No Suction	8423 0313 12
G2438-6.3I	12000	160 (0.21)	150 (6)	2.5 (3/32")	UNF 5/16"	1 (2.2)	9 (19.1)	10 (3/8")	1/4"	Self suction	8423 0313 20
G2438-6.5I	12000	160 (0.21)	150 (6)	5 (3/16")	UNF 5/16"	1 (2.2)	9 (19.1)	10 (3/8")	1/4"	Self suction	8423 0313 15
G2438-6.10I	12000	160 (0.21)	150 (6)	10 (3/8")	UNF 5/16"	1 (2.2)	9 (19.1)	10 (3/8")	1/4"	Self suction	8423 0313 17
G2438-6.3C	12000	160 (0.21)	150 (6)	2.5 (3/32")	UNF 5/16"	0.9 (1.9)	9 (19.1)	10 (3/8")	1/4"	Central suction	8423 0313 30
G2438-6.5C	12000	160 (0.21)	150 (6)	5 (3/16")	UNF 5/16"	0.9 (1.9)	9 (19.1)	10 (3/8")	1/4"	Central suction	8423 0313 25
G2438-6.10C	12000	160 (0.21)	150 (6)	10 (3/8")	UNF 5/16"	0.9 (1.9)	9 (19.1)	10 (3/8")	1/4"	Central suction	8423 0313 27

Accessories - pads	Part Number
53 holes 6 inch (150mm) pad Hook & Loop Pad	4112 6106 04
15 holes 6 inch (150mm) pad Hook & Loop Pad	4112 6106 01
6 hole 5 inch (125mm) Hook & Loop Pad	4112 6106 03
150 mm Velcro 6 hole	4112 1369 00
150 mm Velcro no hole	4112 1363 00



PRO website



PRO videos on Youtube



PRO catalogue

Scan the codes to discover more about PRO

Atlas Copco AB
 (publ) SE-105 23 Stockholm, Sweden
 Phone: +46 8 743 80 00
 Reg. no: 556014-2720
atlascopco.com

